

(Pure substances and mixtures)

Q1.(2018)


1.6 (g)

Q2.(2018)

$$\frac{0.9}{2.5} \times 100$$

$$= 36 (\%)$$

Q3.(2018)



Q4.(2019)

evaporate all water from the sample

measure the sample's boiling point

Q5.(2019)

$$\frac{36}{12} \times 8$$

$$= 24 (\text{g})$$

Q6.(2019)

Plan – allow diagrams to indicate content

- three test tubes containing nails
- test tube 1 – open test tube with water
- test tube 2 – stoppered test tube with drying agent
- test tube 3 – test tube with boiled water
- test tube 3 – sealed with oil
- leave for several days
- observe results

Results

- test tube 1 – nail rusts
- test tube 2 – nail does not rust
- test tube 3 – nail does not rust

Q7.(2020)

systematic error

Q8.a)(2021)

(mass) balance**(volume) measuring cylinder**

Q8.b)(2021)

(mass of salt = 30.49 – 30.44 =)
0.05 (g salt)

(mass of salt in 1000 cm³ =)
 $\frac{1000}{50} \times 0.05$

= 1.0 (g)

alternative approach:

(volume ratio = $\frac{1000}{50}$) = 20 (1)

(mass of salt in 1000 cm³)
= (30.49 – 30.44) × 20 (1)

= 1.0 (g) (1)

Q8.c)(2021)

heat the evaporating dish and salt again

measure the mass of the evaporating dish and salt again

Q9.(2021)

(conversion)

$$(800 \text{ cm}^3 = \frac{800}{1000} =) 0.8$$

(dm³)

$$(\text{mass} =) 0.8 \times 258 \text{ (g)}$$

$$= 206.4 \text{ (g)}$$

$$= 206 \text{ (g)}$$

alternative approach:

(conversion)

$$(258 \text{ g/dm}^3 = \frac{258}{1000} =) 0.258$$

(g/cm³) (1)

$$(\text{mass} =) 0.258 \times 800 \text{ (g) (1)}$$

$$= 206.4 \text{ (g) (1)}$$

$$= 206 \text{ (g) (1)}$$

Q10.a)(2022)

balance

measuring cylinder

Q10.b)(2022)

$$\begin{array}{l} \text{(mean =)} \\ \frac{1.73 + 1.70 + 1.75 + 1.78}{4} \end{array}$$

$$= 1.74 \text{ (g)}$$

Q10.c)(2022)

$$\begin{array}{l} \text{(mass =)} \\ \frac{1.5 \times 1000}{50} \end{array}$$

$$= 30 \text{ (g)}$$

Q11.(2024)

$$\begin{array}{l} \text{(mean concentration of NaCl =)} \\ \frac{35.2 + 34.6 + 36.4 + 33.8}{4} \end{array}$$

or

$$\frac{140}{4}$$

$$= 35.0 \text{ (g/dm}^3\text{)}$$

$$\begin{array}{l} \text{(mean concentration of Na}^+ \text{ =)} \\ 35.0 \times \frac{39.3}{100} \end{array}$$

$$= 13.8 \text{ (g/dm}^3\text{)}$$

alternative approach 1:

$$\begin{array}{l} \text{(total concentration of NaCl =} \\ 35.2 + 34.6 + 36.4 + 33.8 = 140 \\ \text{total concentration of Na}^+ \text{ =)} \\ 140 \times \frac{39.3}{100} \text{ (1)} \end{array}$$

$$= 55.02 \text{ (g/dm}^3\text{) (1)}$$

$$\begin{array}{l} \text{(mean concentration of Na}^+ \text{ =)} \\ \frac{55.02}{4} \text{ (1)} \end{array}$$

$$= 13.8 \text{ (g/dm}^3\text{) (1)}$$

alternative approach 2:(concentrations of Na^+ =)

$$35.2 \times \frac{39.3}{100}$$

$$34.6 \times \frac{39.3}{100}$$

$$36.4 \times \frac{39.3}{100}$$

$$33.8 \times \frac{39.3}{100} (1)$$

$$= 13.83 \quad 13.60 \quad 14.31 \quad 13.28 (1)$$

(mean concentration of Na^+ =)

$$\frac{13.83 + 13.60 + 14.31 + 13.28}{4}$$

(1)

$$= 13.8 \text{ (g/dm}^3\text{)} (1)$$