

(Polymers: addition and condensation polymers)

Q1.a)(2018)

Polymers are used to make fabrics.

Table 1 shows some properties of two polymers.

Table 1

Property	Polymer J	Polymer K
Density in g/cm ³	0.9	1.4
Melting point in °C	165	260
Flame resistance	Poor	Good
Water absorption	Low	High

Polymer fabrics are used to make firefighter uniforms.

Complete **Table 2** by deciding for each property whether polymer **J** or polymer **K** is **best** for firefighter uniforms.

Use **Table 1**.

Density has been completed for you.

[2 marks]

Tick **three** boxes.

Table 2

Property	Polymer J	Polymer K
Density in g/cm ³	✓	
Melting point in °C		
Flame resistance		
Water absorption		

Q1.b)(2018)

A firefighter uniform made from polymer **J** has a mass of 6.0 kg

Calculate the mass of a uniform of the same size made from polymer **K**.

Use **Table 1** and the equation:

$$\text{mass of uniform made from polymer K} = \frac{\text{density of polymer K}}{\text{density of polymer J}} \times 6.0$$

[2 marks]

Mass of uniform made from polymer **K** = _____ kg

Q1.c)(2018)

Polymers **J** and **K** are both thermosoftening polymers.

Polymer **L** is a thermosetting polymer.

Why would polymer **L** be better than polymers **J** and **K** for firefighter uniforms?

[1 mark]

Tick **one** box.

Polymer **L** burns easily

☐

Polymer **L** does not biodegrade

☐

Polymer **L** will not melt

☐

Q1.d)(2018)

Polymers **J** and **K** are made from crude oil.

In the past, firefighter uniforms were made from wool.

Wool is obtained from sheep.

Why are many fabrics made from polymers instead of wool?

[1 mark]

Tick **one** box.

Polymers are man-made

☐

Polymers are more hard-wearing

☐

Wool is more easily available

☐

Wool is more flame resistant

☐

Q1.e)(2018)

Why is wool more sustainable than polymers **J** and **K** for making firefighter uniforms?


[2 marks]

Q2.(2018)

Disposable cups are made from coated paper or poly(styrene).

Figure 4 represents the structure of poly(styrene).





Figure 4



Which small molecule is used to produce poly(styrene)?

[1 mark]

Tick **one** box.

☐☐☐☐

Q3.(2018)

Which process is used to make poly(styrene) from small molecules?

[1 mark]

Tick **one** box.

Cracking

☐

Distillation

☐

Fermentation

☐

Polymerisation

☐

Q4.(2018)

Complete the sentences.

Choose answers from the box.

[3 marks]

ceramics	composites	four	many
monomers	polymers	two	

Poly(styrene) is produced from small molecules called _____.

When poly(styrene) is made, _____ styrene molecules join to form large molecules.

These large molecules are called _____.

Q5.(2020)

Poly(propene) is produced from an alkene.

Complete the sentences.

[2 marks]

The name for very large molecules such as poly(propene) is _____.

The name of the alkene used to produce poly(propene) is _____.

Q6.(2020)

What type of bond joins the atoms in a molecule of poly(propene)?

[1 mark]

Tick (✓) **one** box.

Covalent

☐

Ionic

☐

Metallic

☐

Q7.a)(2020)

Table 4 shows information about two polymers used to make plates.

Table 4

Polymer	Effect of heating the polymer
A	does not melt
B	melts at 50 °C

What type of polymer is polymer **A**?

Use **Table 4**.

[1 mark]

Q7.b)(2020)

Why does polymer **A** behave differently to polymer **B** when heated?


You should refer to crosslinks in your answer.

[1 mark]

Q8.(2021)

Figure 3 shows the displayed structural formula of poly(chloroethene).





Figure 3



Which monomer is used to make poly(chloroethene)?

[1 mark]

Tick (✓) **one** box.

☐☐☐☐

Q9.(2021)

Poly(propene) is a polymer.

What is the name of the monomer used to produce poly(propene)?

[1 mark]

Tick (✓) **one** box.

Propane

☐

Propanoic acid

☐

Propanol

☐

Propene


☐

Q10.a)(2022)


This question is about copper wire and copper compounds.

Copper is used to make electrical wires.

Figure 9 shows how copper electrical wire is insulated using an addition polymer called poly(butene).



The addition polymer poly(butene) has the displayed structural formula:




Poly(butene) is produced from the monomer butene.

Complete **Figure 10** to show the displayed structural formula of butene.

[2 marks]

Figure 10



Q10.b)(2022)

Copper can be obtained by recycling scrap copper wire.

Suggest why poly(butene) insulation must be removed from scrap copper wire before the copper is recycled.

[1 mark]

Q10.c)(2022)

Describe how scrap copper wire can be recycled to make new copper water pipes.

[2 marks]

Q10.d)(2022)

Suggest **two** reasons why recycling scrap copper is more sustainable than extracting copper from copper ores.

[2 marks]

1

2

Q10.e)(2022)

Copper sulfate is a compound of copper.

Copper sulfate solution contains copper(II) ions and sulfate ions.

A solution can be added to copper sulfate solution to show the presence of copper(II) ions.

Name the solution added.

Give the result of the test.

[2 marks]

Name of solution added

Result

Q10.f)(2022)

Describe **one** test to show the presence of sulfate ions in copper sulfate solution.

Give the result of the test.

[2 marks]

Test




Result

Q11.(2023)

Which structure is the repeating unit of poly(propene)?

[1 mark]

Tick (✓) **one** box.



Q12.(2023)

Poly(propene) is produced in three stages:

- **Stage 1:** separating large alkane molecules from crude oil
- **Stage 2:** producing propene molecules from large alkane molecules
- **Stage 3:** joining many propene molecules together.

Name **Stage 1**, **Stage 2** and **Stage 3**.

Choose answers from the box.

[3 marks]

cracking	fermentation	fractional distillation
polymerisation	reverse osmosis	

Stage 1 is _____.

Stage 2 is _____.

Stage 3 is _____.

Q13.(2023)

A molecule of hexene contains a double carbon–carbon bond.

Many hexene molecules join together to form poly(hexene).

Which **two** words describe a hexene molecule in this process?

[2 marks]

Tick (✓) **two** boxes.

Alkene

☐

Catalyst

☐

Composite

☐

Element

☐

Monomer

☐

Q14.(2024)

The glucose produced during photosynthesis can form naturally occurring polymers.

Which **two** are naturally occurring polymers that can be produced from glucose?

[2 marks]

Tick (✓) **two** boxes.

Cellulose

☐

DNA

☐

Poly(propene)

☐

Protein

☐


Starch

☐

Q15.(2024)

Chloroethene can be used to produce a polymer called poly(chloroethene).

The displayed structural formula of chloroethene is



Which represents the structure of poly(chloroethene)?

[1 mark]

Tick (✓) **one** box.



Q16.a)(2024)

Ethene can be used to produce another polymer called poly(ethene).

Table 3 shows information about poly(chloroethene) and poly(ethene).

Table 3

	Poly(chloroethene)	Poly(ethene)
Density in g/cm ³	1.5	0.9
Temperature at which polymer completely melts in °C	260	120

Determine the simplest whole number ratio of the density of poly(chloroethene) : density of poly(ethene).

[3 marks]

Simplest whole number ratio = _____ : _____

Q16.b)(2024)

Poly(ethene) **and** poly(chloroethene) can both be used to make pipes.

Suggest why neither polymer is suitable for pipes carrying steam at a temperature of 300 °C.

Use **Table 3**.

[1 mark]

Q16.c)(2024)

Poly(ethene) and paper can both be used to make shopping bags.

Poly(ethene) is produced from crude oil. Paper is produced from trees.

Suggest **one** reason why paper is more sustainable than poly(ethene) for making shopping bags.

[1 mark]
