

Q1. (2017)

7(a)	5.5 in the correct position	B1	oe
	6.5 in the correct position	B1	oe
	Additional Guidance		
	5.50 or $5\frac{1}{2}$ or $\frac{11}{2}$	B1	
	6.50 or $6\frac{1}{2}$ or $\frac{13}{2}$	B1	

Q2. (2017)

7(b)	One correctly evaluated trial using (6, 6.5] + (4, 4.5) or (6, 6.5) + (4, 4.5]	M1	eg 6.3 + 4.1 = 10.4
	or two values in the ranges given that work if correctly evaluated		eg 6.4, 4.2
	One correctly evaluated trial using (6, 6.5) + (4, 4.5) with an answer that rounds to 11	A1	eg 6.4 + 4.2 = 10.6 Ignore fw
	Additional Guidance		
	6.4 + 4.4 = 10.8 (= 11) do not need to show 11	M1A1	
	6.4999 + 4.4999 = 10.9998	M1A1	
	6.5 + 4.4 = 10.9	M1A0	
	4.5 + 6.2 = 10.7	M1A0	
	6 + 4 = 10	M0	
	6.5 + 4.5 = 11	M0	
	$6.\dot{4}9 + 4.4\dot{9} = 11$	M0	

Q3. (2020)

Q	Answer	Mark	Comments
5(a)	17500	B1	
	Additional Guidance		
	Accept response in words		